Registered Office:

10 broughton Way, Whitehills Business Park, Blackpool FY4 5QN



15 Student Classroom **Kit Specifications**

STUDENT DEVICES (Google Pixel 4)

Operating system

Android

System architecture/processor

Qualcomm SM8150 Snapdragon 855 (7 nm) CPU - Octa-Core (1x2.84 GHz Kryo 485 & 4.1.78 GHz Kryo 485) GPU - Adreno 640

Memory (RAM)

Storage (ROM)

64GB

Dimensions

Height: 147.1 mm Width: 68.8 mm Depth: 8.2 mm

Weight

162g

Display

P-OLED, 90Hz, HDR 5.7 inch screen 1080 x 2280 pixels, 19:9 ratio (~444 ppi density) Corning Gorilla Glass 5

TEACHER DEVICE (Lenovo Tab 4 Plus 10) 247 x 171 x 8.3 mm

Product Dimensions

Screen Size 10.1 inches

Screen Resolution 1920 x 1200 pixels

Multi-touch Capacitive-type multi-touch, support 10-point touch Oualcomm MSM8917 Snapdragon 425 (28 nm) (Wi-Fi/LTE model) Batterv

Li- Po 2800 mAh, non removable

Rear camera

12.2 MP, f/1.7, 27mm (wide), 1/2.55", 1.4µm, dual pixel PDAF, OIS

Camera Features

Dual-LED flash, Pixel Shift, Auto-HDR, panorama

Video

4K & 1080p@30fps

Front camera

8 MP, f/2.0, 22mm (wide), 1.22µm, no AF

Connectivity

Type-C (reversible), USB 3.1

DLNA

Wi-Fi

Speakers/microphones

Wi-Fi 802.11 a/b/g/n/ac,

dual-band, Wi-Fi Direct,

Stereo Speakers Mic

Sensors

Fingerprint (rear-mounted)

accelerometer gyro

proximity compass

barometer

Bluetooth® technology 5.0, A2DP, LE, aptX HD

Processor Count

RAM Size 2 GB

Maximum Memory Supported 64 GB

Storage 16 GB Hard Disk Technology **DUAL BAND ROUTER (Asus RT-51U)**

Powered by 5th generation Wi-Fi (5G Wi-Fi), the 802.11ac chipset gives the RT-AC51U faster wireless speeds than N technology.

At 2.4 GHz, it reaches 300 Mbps, while on the 5GHz band it blazes to 433 Mbps. The upgraded bandwidth has the higher capacity you need to increase Wi-Fi enjoyment.

Twin detachable antennas allow for better alignment and stronger antenna upgrades.

Faster transfer speeds with Gigabit network ports SPI Firewall with IP and MAC address filtering

One touch wireless encryption with WPS button

Connections: 1x RJ45 WAN, 4x RJ45 LAN, x USB Dimensions (HxWxD): 36 x 189 x 129mm

iNCHARGE CASE (C87)

VR cases and Parotec speciÿcations of electrics. Parotec Approvals: **CE** Approved

ISO 9001 registered (2008)

Solutions based around our 16 & 36 x Port PCB Intelligence Board have been subject to testing at Cass Industries Limited an compliance testing and CE marking partner for UK & EU requirements.

Parotec PCB Boards:

PCB Inner board Power consumption: 5V @ 34A maximum supply (each port is current limited to 2.1A) Robust design with up to 35 possible ÿxing holes on uniform 25mm centres IEC/EN 60335 compliant and CE certiyed

Charge & Sync version of PCB also UL (USA) approved

*Charge Only boards currently used for VR kits. IF sending to US we would add Charge & Sync PCB's.

Parotec: Explorer Cases. Used to house all VR Kit.

Where no modiÿcation to the physical case is made these are fully waterproof and dust free.

Where we may have added external cooling fans the cases are reduced to weather proof and dust free.

Case Dimensions

Dimensions: 870mm x 570mm x 370mm Weight: 29KG



Input voltage required up to 5.3V